

Printed :

Revised : LSI\_2023-1-CLP from 31/07/2024

# AGARWOOD (OUDH) OIL BLACK

## 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1. Product identifier

31/07/2024

AGARWOOD (OUDH) OIL BLACK

Product identification: AGARWOOD HE code AGHEC.A.S number: 958663-49-5 ; ;CAS EINECS number:EINECS number: 305-227-1EC (REACH) number:REACH registration number: Exempted (imported or manufactured <1T/year)</td>

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated aromatic raw material. Not intended for personal use in this form or concentration. For industrial use only, not for retail sale.

USE :

### Perfuming substance

- 1.3. Details of the supplier of the safety data sheet
- Company : SASU DIFFUSIONS AROMATIQUES 558 allée des Parfums Parc d'activités "Les Hauts de Grasse" 06530 SAINT-CEZAIRE-SUR-SIAGNE Tel:+33 (0)4 93 60 82 82 Fax :+33 (0)4 93 60 82 79 Web :www.diffusions-aromatiques.fr Email :contact@diffusions-aromatiques.fr
  - 1.4. Emergency telephone number

Emergency telephone number 24h/24 - 7d/7: ORFILA (INRS) : +33.(0)1.45.42.59.59

## 2. HAZARD IDENTIFICATION

### 2.1. Classification of the substance or mixture

### GHS Classification :

(RegulationCLP)

- EDI1 Serious eye damage / eye irritation 1 SCI1B Skin corrosion / irritation 1B
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- 15 To Causes senous eye damage.

2.2. Label elements



Printed : 31/07/2024

AGARWOOD (OUDH) OIL BLACK

Revised : LSI\_2023-1-CLP from 31/07/2024

GHS Classification :

(RegulationCLP)



Warning mention : Danger

EDI1 Serious eye damage / eye irritation 1 SCI1B Skin corrosion / irritation 1B

H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash ... thoroughly after handling.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician.

### 2.3. Other hasards

- Endocrine disruptors : No components concerned

- Contains substances that may cause allergies : Octanoic acid, Heptanoic acid, Nonanoic acid

# 3. COMPOSITION / INFORMATION ON INGREDIENT

### 3.1. Substances

Identification number	Substance	Hazard classes & H-phrases	LCS / M-factors / ATE	Percentag e %
CAS# 124-07-2 EINECS# 204-677-5	Octanoic acid	EDI1, EHC3, SCI1C H318, H412, H314		[ 10-20 ]
CAS# 111-14-8 EINECS# 203-838-7	Heptanoic acid	ATI4, EDI1, SCI1B, STO-SE3-RI H332, H318, H314, H335	ATE (Inhalation) : 1.5mg/L	[ 0-10 ]
CAS# 112-05-0 EINECS# 203-931-2	Nonanoic acid	EDI1, EHC3, SCI1B H318, H412, H314		[ 0-10 ]
CAS# 142-62-1 EINECS# 205-550-7	Hexanoic acid (Caproic acid)	EDI1, SCI1C H318, H314		[ 0-10 ]

- Endocrine disruptors : No components concerned

### 3.2. Mixtures

NO CONCERNED

4. FIRST AID MEASURES



Printed :

31/07/2024

AGARWOOD (OUDH) OIL BLACK

Revised : LSI\_2023-1-CLP from 31/07/2024

## 4.1. Description of first aid measures

General notes: Take Risk and Safety phrases (section 15) into account.

## Following inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

## Following skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

### Following eye contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

### Following ingestion:

Rinse mouth with water and obtain medical advice.

### Notes for the doctor:

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available Please note the risk and safety phrases

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available Please note the risk and safety phrases

# 5. FIRE FIGHTING

### 5.1. Extinguishing media

### Suitable extinguishing media

Depending on the type of product:

- CO2, dry powder or foam extinguishers

- Water spray or fog to cool the package (if necessary)

Unsuitable extinguishing media : Direct water jet

### 5.2. Special hazards arising from the substance or mixture

Flammability : The product is not flammable..

**Prévention:** Do not smoke. Do not use flame near. In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO2). Exposure to decomposition products may cause health hazards. Do not breathe fumes.

### 5.3. Advice for firefighters

Never use a direct water jet.



Printed :

31/07/2024

AGARWOOD (OUDH) OIL BLACK

Revised : LSI\_2023-1-CLP from 31/07/2024

Workers should be equipped with suitable protective equipment (respiratory and protective suit). High temperatures can cause high pressures inside closed packages.

# 6. ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

- Wear gloves (if possible made of natural rubber) when handling leaks to avoid contact with the skin, body cleansing should be observed in case of contact.

- Avoid breathing vapours.
- Follow normal hygiene rules in case of accidental spillage.

- Ensure adequate ventilation of the workplace after spillage.

Refer to protective measures listed under headings 7 and 8.

## 6.2. Environmental precautions

Prevent contamination of soil and water, runoff into sewers, gutters, rivers. Notify the authorities if the product enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

### Methods of cleaning up:

- Large spills should be contained with sand or diatomaceous earth, pumped and rinsed with water after recovery of the waste in specific labelled plastic drums to be handed over to an approved recovery company.

- Clean the area carefully to eliminate any residual pollution

- Any sorbent used to mop up leaks must be destroyed quickly, according to local regulations, preferably by incineration; cases of spontaneous combustion of cloths soaked in perfumes or aromas are well known. Spills must be contained by appropriate means and the associated waste treated in accordance with the regulations in force.

### 6.4. Reference to other sections

See sections 8 and 13 of this safety data sheet where applicable.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

- Wear suitable PPE: gloves (preferably natural rubber) and eye/face protection.

- Handle in well-ventilated areas, ventilated if necessary, at the lowest possible temperature, avoiding dust accumulation.

- Do not smoke. Do not expose to flames or other potential sources of ignition (electrical equipment)

- Observe safety and hygiene standards

- Close the packaging after use.

- Reproduce the labelling if transferring to another container.

- Prevent access by unauthorised persons

CONDITIONS D'UTILISATION : Can be dephased, homogenise before use

7.2. Conditions for safe storage, including any incompatibilities

- Store products in their original containers, preferably full and tightly capped, in a cool, dry place. Do not reuse empty containers.



Printed :

AGARWOOD (OUDH) OIL BLACK

Revised : LSI\_2023-1-CLP from 31/07/2024

- Keep away from air and light.

- Avoid unnecessary exposure.

- Keep away from food and drink.

## 7.3. Specific end use(s)

31/07/2024

Wash hands and other exposed areas with mild soap and water before eating, drinking, smoking and before leaving work.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1. Control parameters

Components with Occupational Exposure Limits (OELs) : No data available

### 8.2. Exposure controls

Technical measures: Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drink.

Personal protective equipment:

Do not eat, drink or smoke during use.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Storage conditions :	Keep in tightly closed container in a cool and dry place, protected from light.
SHELF LIFE :	24 months in below conditions, after this time it can be used after control.
FREEZING POINT :	ND
IGNITION POINT :	ND
IGNITION TEMPERATURE (°C) :	ND
EXPLOSIVE LIMITS :	ND
Color :	Orange to red brown
ODOR :	Animal; woody; sweet; smoke; leather; fruity; powerful
Appearance :	Paste to semi-liquid viscous
Relative density (d20/20) :	[NA ; NA]
Refractive index to 20°C :	[NA ; NA]
Flash point :	100°C



Material Safety Data Sheet				
Printed :	31/07/2024	AGARWOOD (OUDH) OIL BLACK	Revised : LSI_2023-1-CLP from 31/07/2024	
Vapor press	ure :	ND		
Partition coe	ef (n-octanol/water :	ND		
OPTICAL RC	DTATION (°) :	ND		
Solubility(ies	5):	Insoluble in water, soluble in e	thanol	
MELTING PC	DINT (capillarity) °C :	ND		
BOILING PO	DINT (°C) :	ND		
PH:		ND		
SPECIFIC G	RAVITY (25°C g/cm3) :	1		
9.2	2. Other information			

No data available

## 10. STABILITY AND REACTIVITY

## 10.1. Reactivity

### •Dangerous reactions : No dangerous reactions known.

### 10.2. Chemical stability

Good stability if storage and handling standards/indications are taken into consideration.

### 10.3. Possibility of hazardous reactions

No dangerous reaction if storage and handling standards/indications are taken into account.

#### 10.4. Conditions to avoid

Avoid excessive heat sources (open flame, sparks, etc.) Do not heat closed containers. Avoid contact with oxidizing agents

### 10.5. Incompatible materials

Data not available

#### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

## 11. TOXICOLOGICAL INFORMATION

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
- a) Skin corrosion/skin irritation : Refer to heading 2, if applicable



Printed :	31/07/2024	AGARWOOD (OUDH) OIL BLACK	Revised : LSI_2023-1-CLP from 31/07/2024
<ul> <li>c) Respiratory</li> <li>d) Germ cell m</li> <li>e) Carcinogenia</li> <li>f) Reproductiv</li> <li>g) Specific targ single expose</li> <li>h) Specific targ repeated ex</li> </ul>	city: e toxicity : Refe jet organ toxicity (S sure : jet organ toxicity (S posure :	: Refer to heading 2, if applicable Refer to heading 2, if applicable Refer to heading 2, if applicable er to heading 2, if applicable TOT) Refer to heading 2, if applicable	
j) Acute toxicit	y:		
LD50 (DERMAL LD50 (ORAL) (I	, ( ), ),	ND ND	

11.2. Information on other hazards

ND

ND

Endocrine disrupting properties: The product does not contain substances identified as having endocrine disrupting properties for human health with a concentration equal to or greater than 0.1% (w/w).

11.2.2 Others informations

CMR SUBSTANCES :

LC50 (inhalatoire) :

Contient naturellement (techniquement inévitable) : Furfural (cas n° 98-01-1) : <0.018%

## 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### 12.2. Persistence and degradability

BIODEGRADABILITY :

### 12.3. Bioaccumulative potential

Data not available

### 12.4. Mobility in soil

Datat not available

# 12.5. Results of PBT and vPvB assessment

Data not available

### 12.6. Endocrine disrupting properties

The product does not contain substances identified as having endocrine disrupting properties for the environment with a concentration equal to or greater than 0.1% (w/w).



Printed :

31/07/2024

AGARWOOD (OUDH) OIL BLACK

Revised : LSI\_2023-1-CLP from 31/07/2024

12.7. Other adverse effects

Data not available

## 13. DISPOSAL RECOMMENDATIONS

## 13.1. Waste treatment methods

**Product :** Recommandation : Does not have to be evacuated with the refuse . Not to let penetrate in the sewers. **Not cleaned packing :** Recommandation : Evacuation in accordance with the regulations.

## 14. TRANSPORT INFORMATION

14.1. UN number

ADR/ADN/RID : NOT REGULATED IMDG:NOT REGULATED IATA :NOT REGULATED

14.2. UN proper shipping name

ADR/ADN/RID : NOT REGULATED IMDG:NOT REGULATED IATA :NOT REGULATED

14.3. Transport hazard class(es)

ADR/ADN/RID : NOT REGULATED IMDG:NOT REGULATED IATA :NOT REGULATED

14.4. Packing group

ADR/ADN/RID : NOT REGULATED IMDG:NOT REGULATED IATA :NOT REGULATED

14.5. Environmental hazards

IMDG : NOT REGULATED

14.6. Special precautions for user

NO CONCERNED

14.7. Maritime transport in bulk according to IMO instruments

0

NO CONCERNED

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Valeur ICPE :

15.2. Chemical safety assessment



Printed :

31/07/2024

AGARWOOD (OUDH) OIL BLACK

Revised : LSI\_2023-1-CLP from 31/07/2024

No chemical safety assessment has been carried out

## 16. OTHER INFORMATION

### Full H sentenses text in point 3 :

H314	Causes severe skin burns	and eve damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### Acronyms used:

C.A.S: Chemical Abstract Service TSCA: Toxic Substances Control Act EINECS: European inventory of existing Commercial Chemical Substances GHS Global Harmonized System CLP: Classification and Labelling and Packaging of substances and mixtures ADR: Agreement Dangerous goods by Road IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

The information contained in this sheet is based on our knowledge of the product concerned at the time of issue. The information given in this safety data sheet is in accordance with Regulation 1907/2006/EC of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) establishing a European Chemicals Agency, (amended by Regulation 2015/830, 2020/878 (Annex II of REACH), amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94, as well as Council Directive 76/769/EEC, and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 200/21/EC and according to Regulation 453/2010/EC of 20 May 2010.

Users' attention is also drawn to the possible risks involved when a product is used for a purpose other than that for which it was designed.

The information provided is based on the current state of our knowledge, but does not constitute a guarantee of the product's properties and does not give rise to a contractual legal relationship.

**REVISION DATE :** 

15/11/2023