

Printed : 08/12/2022

Revised : 001NEW21-1-CLP from 08/12/2022

# **FURFURYL ALCOOL**

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

FURFURYL ALCOOL

C.A.S Number	: 98-00-0;;
C.A.S EINECS Number	:
C.A.S (TSCA)	:
EINECS Number	: 2020-626-1
EC Number	:
REACH Registration n°	: Exempted (food flavour only)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated aromatic raw material. Not intended for personal use in this form or concentration. For industrial use only, not for retail sale.

USE :

#### Flavouring substance

#### 1.3. Details of the supplier of the safety data sheet

Company : SASU DIFFUSIONS AROMATIQUES 558 allée des Parfums Parc d'activités "Les Hauts de Grasse" 06530 SAINT-CEZAIRE-SUR-SIAGNE Tel:+33 (0)4 93 60 82 82 Fax :+33 (0)4 93 60 82 79 Web :www.diffusions-aromatiques.fr Email :contact@diffusions-aromatiques.fr

#### 1.4. Emergency telephone number

Emergency telephone number 24h/24 - 7d/7: ORFILA (INRS) : +33.(0)1.45.42.59.59

## 2. HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### Classification :

(RegulationCLP)

ATD3	Acute to:	xicity dermal 3
ATI2	Acute to:	xicity inhalation 2
ATO3	Acute to:	kicity oral 3
CAR2	Carcinog	jenicity 2
EDI2	Serious	eye damage / eye irritation 2
SCI2	Skin cori	rosion / irritation 2
STO-RE	2	Specific target organ toxicity, repeated exposure 2
STO-SE3-RI target organ toxicity-single exposure 3 RI		



Printed :

08/12/2022

FURFURYL ALCOOL

Revised : 001NEW21-1-CLP from 08/12/2022

H301+H311 - Toxic if swallowed or in contact with skin

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H330 - Fatal if inhaled.

H335 - May cause respiratory irritation.

H351 - Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs of exposure cause the hazard>.

H373 - May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

2.2. Label elements

Classification :

(RegulationCLP)



Warning mention : Danger

- ATD3 Acute toxicity dermal 3
- ATI2 Acute toxicity inhalation 2
- ATO3 Acute toxicity oral 3
- CAR2 Carcinogenicity 2
- EDI2 Serious eye damage / eye irritation 2
- SCI2 Skin corrosion / irritation 2

STO-RE2Specific target organ toxicity, repeated exposure 2

STO-SE3-RI target organ toxicity-single exposure 3 RI

H301+H311 - Toxic if swallowed or in contact with skin

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.

H351 - Suspected of causing cancer < state route of exposure if it is conclusively proven that no other routs of exposure cause the hazard>.

H373 - May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash ... thoroughly after handling.

- P271 Use only outdoors or in a well-ventilated area.
- P281 Use personal protective equipment as required.

P284 - Wear respiratory protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

#### 2.3. Other hazards

#### Contains Furfuryl alcohol (carc. cat. 3) prohibé IFRA 44ème

No information available.



Printed : 08/12/2022 FURFURYL ALCOOL F

Revised : 001NEW21-1-CLP from 08/12/2022

# 3. COMPOSITION / INFORMATION ON INGREDIENT

#### 3.1. Components

Material	C.A.S	EINECS	Risk Symbol	Percent %
Furfuryl alcohol (carc. cat. 3) prohibé IFRA 44ème	98-00-0	202-626-1	ATD3, ATI2, ATO3, CAR2, EDI2, SCI2, STO-RE2, STO-SE3-RI - H301+H311, H315, H319, H330, H335, H351, H373	[ 70-100 ]

#### 3.2. Description

#### NO CONCERNED

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

General notes: Take Risk and Safety phrases (section 15) into account.

#### Following inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

#### Following skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

#### Following eye contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

#### Following ingestion:

Rinse mouth with water and obtain medical advice.

#### Notes for the doctor:

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident.

#### 4.2. Most important symptoms and effects, both acute and delayed

It presents no significant acute and delayed symptoms.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Attending physician should treat exposed patients symptomatically

Contact with skin : wash immediately and abundantly with water and soap.Rinse then with clear water.

**Contact with eyes :** Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum.In case of disorder, consult an ophtalmologist.

In the event of swallowed : Not make vomit, maintain the patient at rest. Resort to the medical care.

Soiled clothing : withdraw soiled clothing and re-use them only after decontamination.

Persons with pre-existing skin, eye, or respiratory disease may be at increased risk from the irritant or allergic properties of this material.

# 5. FIRE FIGHTING



Printed :

FURFURYL ALCOOL

Revised : 001NEW21-1-CLP from 08/12/2022

#### 5.1. Extinguishing media

08/12/2022

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### 5.2. Special hazards arising from the substance or mixture

Flammability :The product is not flammable..Prévention:Do not smoke. Do not use flame near.

#### 5.3. Advice for firefighters

Never use a direct stream of water.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use individual protective equipment (waterproof boots, suitable protective clothing, and safety glasses). Prevent any contact with hot surfaces. Do not approach facing the wind. Ensure adequate ventilation. Do not breathe vapour/spray.

#### 6.2. Environmental precautions

Do not allow to enter sewers/ surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 6.4. Reference to other sections

See Section 7 for information on safe handling. See section 8 for information on personal protection equipment. See Section 13 for information on disposal

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.



Printed : 08/12/2022

2

FURFURYL ALCOOL

Revised : 001NEW21-1-CLP from 08/12/2022

Advice on protection against fire and explosion: Keep away from ignition sources and naked flame.Close packing after use. Reproduce labelling if transfer in another container.

#### 7.2. Conditions for safe storage, including any incompatibilities

-Avoid any useless exposure. Keep aways from food and drinks.

-Preserve only in the container of origin in a fresh place and broken down well. Keep the containers closed out of their use.

-Do not leave it near heat source, direct rays of the sun

#### 7.3. Specific end use(s)

Not available

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

#### NO CONCERNED

#### 8.2. Exposure controls

**General protective and hygienic measures:** Avoid skin and eyes contact. Keep away from foodstuffs, beverages and feed.Wash hands before breaks and at the end of work.

#### **Personal Protection :**

- Hand protection: Wear gloves.

- Eye protection: Wear glasses.
- Respiratory protection : Wear a mask.

-Ingestion : Do not use, dreak and smoke during use.

# **Eye and face protection:** Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

**Skin protection:** Wear appropriates dust resistant clothing. Avoid skin contact. Use chemically resistant gloves.

Protective gloves: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation. Due to missing tests no recommendation

to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

**Respiratory protection:** See local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured.

Thermal hazards: Not available.

**Environmental exposure controls:**Prevent from entering sewers, basements and workpants, or any place where its accumulation can be dangerous.

**Consumer exposure controls:** Avoid breathing directly on the product. Apply local ventilations when appropriate. Wash hands with soap and water after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

FORMULA :	C5H6O2
MOLECULAR WEIGHT :	98.1 g/mol



Printed :	08/12/2022	FURFURYL ALCOOL	Revised : 001NEW21-1-CLP from 08/12/2022
SHELF LIFE :		24 months in below conditions, an control.	fter this time it can be used after
FREEZING POIN	IT :	ND	
POINT D'INFLAI	MMATION :	ND	
IGNITION TEMP	PERATURE (°C) :	ND	
EXPLOSIVE LIM	ITS :	ND	
Color :		Colorless to light yellow	
Appearance :		Liquid	
BOILING POINT	(°C) :	+/- 170°C	
Solubility(ies) :		Insoluble in water, soluble in eth	anol
ODOR :		Alcooholic ; musty ; sweet ; chara	amellic ; bready ; coffee
ASSAY (%GC) :		>97%	
Flash point :		65°C	
Relative density	(d20/20):	[1.124 ; 1.134]	
Refractive index	to 20°C :	[1.484 ; 1.488]	
Partition coef (n	-octanol/water :	0,3 à 25 °C	
OPTICAL ROTA	ΓΙΟΝ (°) :	ND	
Vapor pressure	:	ND	
FUSION POINT	(capillarity) °C :	ND	
PH:		ND	
ACID VALUE (m	g KOH/g) :	ND	

#### 9.2. Other information

#### NO CONCERNED

## 10. STABILITY AND REACTIVITY

#### 10.1. Reactivity

·Dangerous reactions : No dangerous reactions known.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

#### 10.5. Incompatible materials



Printed : 08/12/2022 FURFURYL ALCOOL

Revised : 001NEW21-1-CLP from 08/12/2022

Avoid contact with strong acids, alkali or oxidizing agents.

#### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** Carbon monoxide and unidentified organic compounds may be formed during combustion.

### 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

#### **Toxicological Informations Acute :**

DL50 (oral / rat) mg/kg :	177
LD50 (dermal / rat) mg/kg :	3.825
LD50 ORAL/RAT (mg/kg) :	ND
PRESENCE of CMR :	CMR as such - category 2

## 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### 12.2. Persistence and degradability

#### NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

#### NO CONCERNED

13. DISPOSAL RECOMMENDATIONS

#### 13.1. Waste treatment methods



Printed : 08/12/2022 FURFURYL ALCOOL Revised : 001NEW21-1-CLP from 08/12/2022

**Product :** Recommandation : Does not have to be evacuated with the refuse . Not to let penetrate in the sewers. **Not cleaned packing :** Recommandation : Evacuation in accordance with the regulations.

## 14. TRANSPORT INFORMATION

#### 14.1. UN number

: NOT REGULATED :NOT REGULATED IATA :NOT REGULATED

UN N° :

#### 2874 (alcool furfurylique)

14.2. Transport hazard class(es) and Packing group

#### NOT REGULATED

IATA (Air) :	6.1 III
RID/ADR (Road) :	6.1 III
IMDG (Sea) :	6.1 III

15. REGULATORY INFORMATION

The product is not classified.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK

#### 15.2. Chemical safety assessment

#### NO CONCERNED

#### 16. OTHER INFORMATION

#### Full H sentenses text in point 3 :

- H301 Toxic if swallowed.
- H301+H311 Toxic if swallowed or in contact with skin
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs

#### of exposure cause the hazard>.

H373 May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.



Printed : 08/12/2022

FURFURYL ALCOOL

Revised : 001NEW21-1-CLP from 08/12/2022

Acronyms used: C.A.S: Chemical Abstract Service TSCA: Toxic Substances Control Act EINECS: European inventory of existing Commercial Chemical Substances GHS Global Harmonized System CLP: Classification and Labelling and Packaging of substances and mixtures ADR: Agreement Dangerous goods by Road IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

The information contained in this sheet is based on our knowledge of the product concerned at the time of issue. The information given in this safety data sheet is in accordance with **Regulation 1907/2006/EC of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) establishing a European Chemicals Agency, (amended by Regulation 2015/830, 2020/878 (Annex II of REACH)**, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94, as well as Council Directive 76/769/EEC, and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 200/21/EC and according to Regulation 453/2010/EC of 20 May 2010.

The attention of users is also drawn to the possible risks involved when a product is used for a purpose other than that for which it was designed.

REVISION DATE : 08/12/2022