

Printed : 16/12/2022

Revised : 001NEW21-1-CLP from 16/12/2022

BUCHU CRENULATA OIL

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

BUCHU CRENULATA OIL

C.A.S Number	:68650-46-4;;	
C.A.S EINECS Number	:92346-85-5	
C.A.S (TSCA)	:	
EINECS Number	: 296-170-0	
EC Number	:	
REACH Registration n°	: Low tonnage exemption <1T/Year	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated aromatic raw material. Not intended for personal use in this form or concentration. For industrial use only, not for retail sale.

USE :

Perfuming substance ; flavouring substance (according to batches)

1.3. Details of the supplier of the safety data sheet

Company : SASU DIFFUSIONS AROMATIQUES 558 allée des Parfums Parc d'activités "Les Hauts de Grasse" 06530 SAINT-CEZAIRE-SUR-SIAGNE Tel:+33 (0)4 93 60 82 82 Fax :+33 (0)4 93 60 82 79 Web :www.diffusions-aromatiques.fr Email :contact@diffusions-aromatiques.fr

1.4. Emergency telephone number

Emergency telephone number 24h/24 - 7d/7: ORFILA (INRS) : +33.(0)1.45.42.59.59

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification :

(RegulationCLP)

- AH1 Aspiration hazard 1
- ATO4 Acute toxicity oral 4
- EHC3 Hazardous to the aquatic environment, long-trem hazard 3
- SCI2 Skin corrosion / irritation 2
- SS1 Sensitisation skin 1

H302 - Harmful if swallowed.

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.



Printed :

16/12/2022

BUCHU CRENULATA OIL

Revised : 001NEW21-1-CLP from 16/12/2022

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

Classification :

(RegulationCLP)



Warning mention :

- AH1 Aspiration hazard 1
- ATO4 Acute toxicity oral 4
- EHC3 Hazardous to the aquatic environment, long-trem hazard 3
- SCI2 Skin corrosion / irritation 2
- SS1 Sensitisation skin 1

H302 - Harmful if swallowed.

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.

P264 - Wash ... thoroughly after handling.

- P270 Do no eat, drink or smoke when using this product.
- P273 Avoid release to the environment.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 Rinse mouth.
 - So Rinse mouth.

2.3. Other hazards

Contains Pulegone, D,L Isomenthone, Limonene, p-Mentha-8-thiol-3-one (thiomentone; corps cassis), alpha-Pinene, Myrcene, Eucalyptol - 1,8 cineol, Terpinolene, p-Mentha-1,3-diene, Beta pinene, Menthofuran, g-Terpinene / p-Mentha-1,4-diene, Methyl eugenol, Para-cymene

No information available.

3. COMPOSITION / INFORMATION ON INGREDIENT

3.1. Components

Material	C.A.S	EINECS	Risk Symbol	Percent %
Pulegone	15932-80-6	240-070-1	ATO4 - H302	[30-50]
D,L Isomenthone	491-07-6	207-727-4	SCI2, SS1B - H315, H317	[10-20]
Limonene	5989-27-5	227-813-5	AH1, EHA1, EHC2, FL3, SCI2, SS1B - H226, H304, H315, H317, H411	[10-20]
Terpineol	8000-41-7	232-268-1	EDI2, SCI2 - H315, H319	[1-5]



Printed : 16/12/2022 BUCHU CRENULATA OIL		Revised : 001NEW21-1-CLP from 16/12/2022		
alpha-Pinene	80-56-8	201-291-9	AH1, ATO4, EHA1, EHC1, FL3, SCI2, SS1B - H226, H302, H304, H315, H317, H400, H410	[1-5]
p-Mentha-8-thiol-3-one (thiomentone - corps cassis)	38462-22-5	253-953-1	SS1B - H317	[1-5]
Menthone	89-80-5	201-941-1	EHC3 - H412	[1-5]
Eucalyptol - 1,8 cineol	470-82-6	207-431-5	FL3, SS1B - H226, H303, H317, H320, H402	[1-5]
Myrcene	123-35-3	204-622-5	AH1, EDI2, EHA1, EHC2, FL3, SCI2 - H226, H304, H315, H319, H400, H411	[1-5]
Beta pinene	127-91-3		AH1, EHA1, EHC1, FL3, SCI2, SS1B - H226, H304, H315, H317, H400, H410	[0.1-1]
Terpinolene	586-62-9	209-578-0	AH1, EHA1, EHC1, SS1B - H317, H400, H410	[0.1-1]
p-Mentha-1,3-diene	99-86-5	202-795-1	AH1, ATO4, EHC2, FL3, SS1 - H226, H302, H304, H411	[0.1-1]
Linalool	78-70-6	201-134-4	EDI2, SCI2, SS1B - H315, H317, H319	[0.1-1]
Menthofuran	494-90-6	207-795-5	ATO4, EDI2, EHC2, SCI2 - H302, H315, H319, H411	[0.1-1]
Menthol	89-78-1	201-939-0	EDI2, SCI2 - H315, H319	[0.1-1]
g-Terpinene / p-Mentha-1,4-diene	99-85-4	202-794-6	AH1, ATO4, EHC2, FL3, REP2 - H226, H303, H304, H361, H411	[0.1-1]
Citronellol	106-22-9	203-375-0	EDI2, SCI2, SS1B - H315, H317, H319	[0.1-1]
Methyl eugenol	93-15-2	202-223-0	ATO4, CAR2, MUT2 - H302, H341, H351	[0.1-1]
Para-cymene	99-87-6	202-796-7	AH1, EHC2, FL3, REP2 - H226, H304, H361, H411	[0.1-1]

3.2. Description

BOTANICAL NAME :

Agathosma crenulata (L.) Pillans (synonyme : Barosma crenulata (L.) Hook)

4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes: Take Risk and Safety phrases (section 15) into account.

Following inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Following skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Following eye contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Following ingestion:

Rinse mouth with water and obtain medical advice.



16/12/2022

Material Safety Data Sheet

Printed :

BUCHU CRENULATA OIL

Revised : 001NEW21-1-CLP from 16/12/2022

Notes for the doctor:

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident.

4.2. Most important symptoms and effects, both acute and delayed

It presents no significant acute and delayed symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Attending physician should treat exposed patients symptomatically **Contact with skin :** wash immediately and abundantly with water and soap.Rinse then with clear water. **Contact with eyes :** Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum.In case of disorder, consult an ophtalmologist. **In the event of swallowed :** Not make vomit, maintain the patient at rest. Resort to the medical care. **Soiled clothing :** withdraw soiled clothing and re-use them only after decontamination. Persons with pre-existing skin, eye, or respiratory disease may be at increased risk from the irritant or allergic properties of this material.

5. FIRE FIGHTING

5.1. Extinguishing media

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Flammability :The product is not flammable..Prévention:Do not smoke. Do not use flame near.

5.3. Advice for firefighters

Never use a direct stream of water.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use individual protective equipment (waterproof boots, suitable protective clothing, and safety glasses). Prevent any contact with hot surfaces. Do not approach facing the wind. Ensure adequate ventilation. Do not breathe vapour/spray.

6.2. Environmental precautions

Do not allow to enter sewers/ surface or ground water.

6.3. Methods and material for containment and cleaning up



Printed : 16/12/2022

BUCHU CRENULATA OIL

Revised : 001NEW21-1-CLP from 16/12/2022

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

See Section 7 for information on safe handling. See section 8 for information on personal protection equipment. See Section 13 for information on disposal

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion: Keep away from ignition sources and naked flame.Close packing after use. Reproduce labelling if transfer in another container.

7.2. Conditions for safe storage, including any incompatibilities

-Avoid any useless exposure. Keep aways from food and drinks.

-Preserve only in the container of origin in a fresh place and broken down well. Keep the containers closed out of their use.

-Do not leave it near heat source, direct rays of the sun

7.3. Specific end use(s)

Not available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

NO CONCERNED

8.2. Exposure controls

General protective and hygienic measures: Avoid skin and eyes contact. Keep away from foodstuffs, beverages and feed.Wash hands before breaks and at the end of work.

Personal Protection :

- Hand protection: Wear gloves.

- Eye protection: Protection not required but recommended.
- Respiratory protection : Wear a mask.

-Ingestion : Do not use, dreak and smoke during use.

Eye and face protection: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.



Printed :

16/12/2022

BUCHU CRENULATA OIL

Revised : 001NEW21-1-CLP from 16/12/2022

Skin protection: Wear appropriates dust resistant clothing. Avoid skin contact. Use chemically resistant gloves.

Protective gloves:The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Respiratory protection: See local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places

where this material is openly weighed or measured.

Thermal hazards: Not available.

Environmental exposure controls:Prevent from entering sewers, basements and workpants, or any place where its accumulation can be dangerous.

Consumer exposure controls: Avoid breathing directly on the product. Apply local ventilations when appropriate. Wash hands with soap and water after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

SHELF LIFE :	24 months in below conditions, after this time it can be used after control.
FREEZING POINT :	ND
POINT D'INFLAMMATION :	ND
IGNITION TEMPERATURE (°C) :	ND
EXPLOSIVE LIMITS :	ND
Appearance :	Liquid
Color :	Colorless to light yellow
ODOR :	Sulfurous ; green ; minty ; camphoreous
Relative density (d20/20) :	[0.910 ; 0.930]
Refractive index to 20°C :	[1.468 ; 1.482]
Flash point :	65°C
OPTICAL ROTATION (°) :	[-20° ; -9°]
Solubility(ies) :	Insoluble in water, soluble in ethanol
SPECIFIC GRAVITY (25°C g/cm3) :	ND
Vapor pressure :	ND
Partition coef (n-octanol/water :	ND
FUSION POINT (capillarity) °C :	ND
BOILING POINT (°C) :	ND
PH:	ND

9.2. Other information

NO CONCERNED

10. STABILITY AND REACTIVITY

10.1. Reactivity



16/12/2022 Printed : BUCHU CRENULATA OIL Revised : 001NEW21-1-CLP from 16/12/2022

·Dangerous reactions : No dangerous reactions known.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Avoid contact with strong acids, alkali or oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Dangerous decomposition products: Carbon monoxide and unidentified organic compounds may be formed during combustion.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological Informations Acute :

LD50 (dermal / rat) mg/kg :	ND
LD50 ORAL/RAT (mg/kg) :	ND
PRESENCE of CMR :	May naturally (technically unavoidable) contains Estragole 0.02% ; Para-cymene 0.15% ; Methyl eugenol 0.20% ; Gamma terpinene 0.50%

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential



Printed : 16/12/2022

BUCHU CRENULATA OIL

Revised : 001NEW21-1-CLP from 16/12/2022

NO CONCERNED

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

NO CONCERNED

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Product : Recommandation : Does not have to be evacuated with the refuse . Not to let penetrate in the sewers. **Not cleaned packing :** Recommandation : Evacuation in accordance with the regulations.

14. TRANSPORT INFORMATION

14.1. UN number

: NO CONCERNED :NO CONCERNED IATA :NO CONCERNED

14.2.Transport hazard class(es) and Packing group

RID/ADR (Road) :	Unregulated
IATA (Air) :	Unregulated
IMDG (Sea) :	Unregulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK

15.2. Chemical safety assessment

Contains Alpha pinène !, Beta pinene, Limonene : Can cause allergic reaction.

16. OTHER INFORMATION

Full H sentenses text in point 3 :

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.



Printed :	16/12/2022	BUCHU CRENULATA OIL	Revised : 001NEW21-1-CLP from 16/12/2022		
H303	H303 May be harmful if swallowed				
H304	H304 May be fatal if swallowed and enters airways.				
H315	Causes skin irritation.				
H317	7 May cause an allergic skin reaction.				
H319	19 Causes serious eye irritation.				
H320	H320 Causes eye irritation				
H341	H341 Suspected of causing genetic defects <state conclusively="" exposure="" if="" is="" it="" no<="" of="" proven="" route="" td="" that=""></state>				
other routes of exposure cause the hazard>.					
H351	Suspected o routs	f causing cancer <state expo<="" of="" route="" td=""><td>sure if it is conclusively proven that no other</td></state>	sure if it is conclusively proven that no other		
of exposure	cause the hazard>.				
H361	Suspected o	f damaging fertility or the unborn child	d <state effect="" if="" known="" specific=""> <state route<="" td=""></state></state>		
of exposure	if it is conclusively	proven that no other routes of exp	osure cause the hazard>.		
H400	Very toxic to	aquatic life.			
H402	H402 Harmful to aquatic life				
H410	H410 Very toxic to aquatic life with long lasting effects.				
H411	1 Toxic to aquatic life with long lasting effects.				
H412	Harmful to a	quatic life with long lasting effects.			
Acronyms used: C.A.S: Chemical Abstract Service TSCA: Toxic Substances Control Act EINECS: European inventory of existing Commercial Chemical Substances GHS Global Harmonized System CLP: Classification and Labelling and Packaging of substances and mixtures ADR: Agreement Dangerous goods by Road IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association					

IATA: International Air Transport Association

The information contained in this sheet is based on our knowledge of the product concerned at the time of issue. The information given in this safety data sheet is in accordance with **Regulation 1907/2006/EC of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) establishing a European Chemicals Agency, (amended by Regulation 2015/830, 2020/878 (Annex II of REACH)**, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94, as well as Council Directive 76/769/EEC, and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 200/21/EC and according to Regulation 453/2010/EC of 20 May 2010.

The attention of users is also drawn to the possible risks involved when a product is used for a purpose other than that for which it was designed.

REVISION DATE :

13/12/2022