

Material Safety Data Sheet

Printed : 07/07/2023

Revised : LSI_2023-1-CLP from 07/07/2023

BUTYL HYDROXYANISOL

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

BUTYL HYDROXYANISOL

Identification du produit : BUTYL HYDROXYANISOL code BHA
Numéro C.A.S : 25013-16-5 ; ;
Numéro CAS EINECS :
Numéro EINECS : 246-563-8
Numéro EC (REACH) :
N° enregistrement REACH : Low tonnage exemption <1T/year

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated aromatic raw material.
Not intended for personal use in this form or concentration.
For industrial use only, not for retail sale.

USE : **Substance parfumante ; substance aromatisante**

1.3. Details of the supplier of the safety data sheet

Company : SASU DIFFUSIONS AROMATIQUES
558 allée des Parfums
Parc d'activités "Les Hauts de Grasse"
06530 SAINT-CEZAIRE-SUR-SIAGNE
Tel:+33 (0)4 93 60 82 82
Fax :+33 (0)4 93 60 82 79
Web :www.diffusions-aromatiques.fr
Email :contact@diffusions-aromatiques.fr

1.4. Emergency telephone number

Emergency telephone number 24h/24 - 7d/7: ORFILA (INRS) : +33.(0)1.45.42.59.59

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

ATO4 Acute toxicity oral 4
CAR2 Carcinogenicity 2
ED12 Serious eye damage / eye irritation 2
EHC2 Hazardous to the aquatic environment, long-term hazard 2
SC12 Skin corrosion / irritation 2
STO-SE3-NE target organ toxicity- single exposure 3 NE

H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

Material Safety Data Sheet

Printed : 07/07/2023

BUTYL HYDROXYANISOL

Revised : LSI_2023-1-CLP from 07/07/2023

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H411 - Toxic to aquatic life with long lasting effects.

2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Warning

ATO4 Acute toxicity oral 4

CAR2 Carcinogenicity 2

EDI2 Serious eye damage / eye irritation 2

EHC2 Hazardous to the aquatic environment, long-term hazard 2

SCI2 Skin corrosion / irritation 2

STO-SE3-NE target organ toxicity- single exposure 3 NE

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H411 - Toxic to aquatic life with long lasting effects.

P264 - Wash ... thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P281 - Use personal protective equipment as required.

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

2.3. Other hazards

- Endocrine disruptors : No components concerned

- **Contains substances that may cause allergies : butylated hydroxyanisol**

3. COMPOSITION / INFORMATION ON INGREDIENT

3.1. Substances

| Identification number | Substance | Hazard classes & H-phrases | LCS / M-factors / ATE | Percentage % |
|--------------------------------------|-------------------------|--------------------------------------------------------------------------------------|-------------------------|--------------|
| CAS# 25013-16-5 EINECS# 246-563-8 | butylated hydroxyanisol | ATO4, CAR2, EDI2, EHC2, SCI2, STO-SE3-NE H302, H351, H319, H411, H315, H336 | ATE (Orale) : 1900mg/kg | [70-100] |

- Endocrine disruptors : No components concerned

Material Safety Data Sheet

Printed : 07/07/2023

BUTYL HYDROXYANISOL

Revised : LSI_2023-1-CLP from 07/07/2023

3.2. Mixtures

NO CONCERNED

4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes: Take Risk and Safety phrases (section 15) into account.

Following inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Following skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Following eye contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Following ingestion:

Rinse mouth with water and obtain medical advice.

Notes for the doctor:

Treat symptomatically and supportively.

Treatment may vary with condition of victim and specifics of incident.

4.2. Most important symptoms and effects, both acute and delayed

No data available

Please note the risk and safety phrases

4.3. Indication of any immediate medical attention and special treatment needed

No data available

Please note the risk and safety phrases

5. FIRE FIGHTING

5.1. Extinguishing media

Suitable extinguishing media

Depending on the type of product:

- CO₂, dry powder or foam extinguishers
- Water spray or fog to cool the package (if necessary)

Unsuitable extinguishing media :

Direct water jet

5.2. Special hazards arising from the substance or mixture

Flammability : The product is not flammable..

Prévention: Do not smoke. Do not use flame near.

Material Safety Data Sheet

Printed : 07/07/2023

BUTYL HYDROXYANISOL

Revised : LSI_2023-1-CLP from 07/07/2023

In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO₂). Exposure to decomposition products may cause health hazards. Do not breathe fumes.

5.3. Advice for firefighters

Never use a direct water jet.

Workers should be equipped with suitable protective equipment (respiratory and protective suit). High temperatures can cause high pressures inside closed packages.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Wear gloves (if possible made of natural rubber) when handling leaks to avoid contact with the skin, body cleansing should be observed in case of contact.
 - Avoid breathing vapours.
 - Follow normal hygiene rules in case of accidental spillage.
 - Ensure adequate ventilation of the workplace after spillage.
- Refer to protective measures listed under headings 7 and 8.

6.2. Environmental precautions

Prevent contamination of soil and water, runoff into sewers, gutters, rivers. Notify the authorities if the product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods of cleaning up:

- Large spills should be contained with sand or diatomaceous earth, pumped and rinsed with water after recovery of the waste in specific labelled plastic drums to be handed over to an approved recovery company.
- Clean the area carefully to eliminate any residual pollution
- Any sorbent used to mop up leaks must be destroyed quickly, according to local regulations, preferably by incineration; cases of spontaneous combustion of cloths soaked in perfumes or aromas are well known. Spills must be contained by appropriate means and the associated waste treated in accordance with the regulations in force.

6.4. Reference to other sections

See sections 8 and 13 of this safety data sheet where applicable.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

- Wear suitable PPE: gloves (preferably natural rubber) and eye/face protection.
- Handle in well-ventilated areas, ventilated if necessary, at the lowest possible temperature, avoiding dust accumulation.
- Do not smoke. Do not expose to flames or other potential sources of ignition (electrical equipment)
- Observe safety and hygiene standards
- Close the packaging after use.
- Reproduce the labelling if transferring to another container.
- Prevent access by unauthorised persons

Material Safety Data Sheet

Printed : 07/07/2023

BUTYL HYDROXYANISOL

Revised : LSI_2023-1-CLP from 07/07/2023

7.2. Conditions for safe storage, including any incompatibilities

- Store products in their original containers, preferably full and tightly capped, in a cool, dry place. Do not reuse empty containers.
- Keep away from air and light.
- Avoid unnecessary exposure.
- Keep away from food and drink.

7.3. Specific end use(s)

Wash hands and other exposed areas with mild soap and water before eating, drinking, smoking and before leaving work.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Components with Occupational Exposure Limits (OELs) :

No data available

8.2. Exposure controls

Technical measures: Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drink.

Personal protective equipment:

Do not eat, drink or smoke during use.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|-----------------------------|----------------------------------------------------------------------------------------|
| MOLECULAR WEIGHT : | 180.24 |
| FORMULA : | C11 H16 O2 |
| SHELF LIFE : | 24 months in below conditions, after this time it can be used after control. |
| Storage conditions : | Keep in tightly closed container in a cool and dry place, protected from light. |
| FREEZING POINT : | ND |
| POINT D'INFLAMMATION : | ND |
| IGNITION TEMPERATURE (°C) : | ND |
| EXPLOSIVE LIMITS : | ND |
| MELTING POINT °C : | [58°C ; 60°C] |
| Color : | White to pale yellow |

Material Safety Data Sheet

| | | | |
|------------------------------------|------------|-------------------------------------------------------------------------|------------------------------------------|
| Printed : | 07/07/2023 | BUTYL HYDROXYANISOL | Revised : LSI_2023-1-CLP from 07/07/2023 |
| Appearance : | | Solid / Power, crystals or flakes | |
| Solubility(ies) : | | Insoluble in water, soluble in ethanol | |
| Flash point : | | > 100°C | |
| Partition coef (n-octanol/water) : | | log Pow: 2,8 à 27 °C | |
| BOILING POINT (°C) : | | 268 °C | |
| ASSAY (%GC) : | | Min. 98% (Main pik Min. 85% (3-tertiary-butyl-4-hydroxyanisole)) | |
| ODOR : | | slightly aromatic | |
| OPTICAL ROTATION (°) : | | ND | |
| Refractive index to 20°C : | | NA | |
| Relative density (d20/20) : | | NA | |
| Vapor pressure : | | ND | |
| FUSION POINT (capillarity) °C : | | ND | |
| PH : | | About 4,8 à 10 g/l à 25 °C | |
| ACID VALUE (mg KOH/g) : | | ND | |

9.2. Other information

No data available

10. STABILITY AND REACTIVITY

10.1. Reactivity

·**Dangerous reactions** : No dangerous reactions known.

10.2. Chemical stability

Good stability if storage and handling standards/indications are taken into consideration.

10.3. Possibility of hazardous reactions

No dangerous reaction if storage and handling standards/indications are taken into account.

10.4. Conditions to avoid

Avoid excessive heat sources (open flame, sparks, etc.)
Do not heat closed containers.
Avoid contact with oxidizing agents

10.5. Incompatible materials

Data not available

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
Dangerous decomposition products: No dangerous decomposition products known.

Material Safety Data Sheet

Printed : 07/07/2023

BUTYL HYDROXYANISOL

Revised : LSI_2023-1-CLP from 07/07/2023

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- | | |
|-----------------------------------------------------------------|-----------------------------------|
| a) Skin corrosion/skin irritation : | Refer to heading 2, if applicable |
| b) Serious eye damage/eye irritation : | Refer to heading 2, if applicable |
| c) Respiratory or skin sensitisation : | Refer to heading 2, if applicable |
| d) Germ cell mutagenicity : | Refer to heading 2, if applicable |
| e) Carcinogenicity: | Refer to heading 2, if applicable |
| f) Reproductive toxicity : | Refer to heading 2, if applicable |
| g) Specific target organ toxicity (STOT) single exposure : | Refer to heading 2, if applicable |
| h) Specific target organ toxicity (STOT) repeated exposure : | Refer to heading 2, if applicable |
| i) Aspiration hazard : | Refer to heading 2, if applicable |

j) Acute toxicity :

LD50 (dermal / rat) mg/kg : **Male and female - > 2,000 mg/kg**

LD50 (DERMAL) (mg/kg) : **No skin irritation**

LD50 (ORAL) (mg/kg) : **1.100 mg/kg**

LC50 (inhalatoire) : **ND**

11.2. Information on other hazards

Endocrine disrupting properties: The product does not contain substances identified as having endocrine disrupting properties for human health with a concentration equal to or greater than 0.1% (w/w).

11.2.2 Others informations

CMR SUBSTANCES : **As such 100% CMR - CARC. 2**

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

BIODEGRADABILITY : **ND**

12.3. Bioaccumulative potential

Data not available

12.4. Mobility in soil

Datat not available

12.5. Results of PBT and vPvB assessment

Material Safety Data Sheet

Printed : 07/07/2023

BUTYL HYDROXYANISOL

Revised : LSI_2023-1-CLP from 07/07/2023

Data not available

12.6. Endocrine disrupting properties

The product does not contain substances identified as having endocrine disrupting properties for the environment with a concentration equal to or greater than 0.1% (w/w).

12.7. Other adverse effects

Data not available

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Product : Recommendation : Does not have to be evacuated with the refuse . Not to let penetrate in the sewers.
Not cleaned packing : Recommendation : Evacuation in accordance with the regulations.

14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:



IATA:



14.1. UN number

ADR/ADN/RID : 3077 ((E))
IMDG:3077
IATA :3077

14.2. UN proper shipping name

ADR/ADN/RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(2-tert-butyl-4-methoxyphenol;3-tert-butyl-4-methoxyphenol)
IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(2-tert-butyl-4-methoxyphenol;3-tert-butyl-4-methoxyphenol)
IATA :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(2-tert-butyl-4-methoxyphenol;3-tert-butyl-4-methoxyphenol)

Material Safety Data Sheet

Printed : 07/07/2023

BUTYL HYDROXYANISOL

Revised : LSI_2023-1-CLP from 07/07/2023

14.3. Transport hazard class(es)

ADR/ADN/RID : 9 (ENV)
IMDG:9 (ENV)
IATA :9

14.4. Packing group

ADR/ADN/RID : III
IMDG:III
IATA :III

14.5. Environmental hazards

IMDG :

14.6. Special precautions for user

NO CONCERNED

14.7. Maritime transport in bulk according to IMO instruments

NO CONCERNED

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Valeur ICPE : **4511**

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. OTHER INFORMATION

Full H sentences text in point 3 :

| | |
|------|-------------------------------------------------------------------------------------------------------|
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness |
| H351 | Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs |

of exposure cause the hazard>.

H411 Toxic to aquatic life with long lasting effects.

Acronyms used:

C.A.S: Chemical Abstract Service
TSCA: Toxic Substances Control Act
EINECS: European inventory of existing Commercial Chemical Substances
GHS Global Harmonized System
CLP: Classification and Labelling and Packaging of substances and mixtures
ADR: Agreement Dangerous goods by Road
IMDG: International Maritime Dangerous Goods
IATA: International Air Transport Association

The information contained in this sheet is based on our knowledge of the product concerned at the time of issue.
The information given in this safety data sheet is in accordance with Regulation 1907/2006/EC of 18 December 2006

Material Safety Data Sheet

Printed : 07/07/2023

BUTYL HYDROXYANISOL

Revised : LSI_2023-1-CLP from 07/07/2023

concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) establishing a European Chemicals Agency, (amended by Regulation 2015/830, 2020/878 (Annex II of REACH), amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94, as well as Council Directive 76/769/EEC, and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 200/21/EC and according to Regulation 453/2010/EC of 20 May 2010.

Users' attention is also drawn to the possible risks involved when a product is used for a purpose other than that for which it was designed.

The information provided is based on the current state of our knowledge, but does not constitute a guarantee of the product's properties and does not give rise to a contractual legal relationship.

REVISION DATE : **31/05/2023**