

Printed :

Revised : LSI_2023-1-CLP from 09/10/2023

3-METHOXY-3-METHYL-1-BUTANOL

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

09/10/2023

3-METHOXY-3-METHYL-1-BUTANOL

Product identification C.A.S number	: 3 METHOXY 3 METHYL 1 BUTANOL code MMB : 56539-66-3 ; ;
CAS EINECS number EINECS number	: 260-252-4
EC (REACH) number	:
REACH registration number	: 01-2119976333-33-****

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated aromatic raw material. Not intended for personal use in this form or concentration. For industrial use only, not for retail sale.

USE :

Perfuming substance

1.3. Details of the supplier of the safety data sheet

Company : SASU DIFFUSIONS AROMATIQUES 558 allée des Parfums Parc d'activités "Les Hauts de Grasse" 06530 SAINT-CEZAIRE-SUR-SIAGNE Tel:+33 (0)4 93 60 82 82 Fax :+33 (0)4 93 60 82 79 Web :www.diffusions-aromatiques.fr Email :contact@diffusions-aromatiques.fr

1.4. Emergency telephone number

Emergency telephone number 24h/24 - 7d/7: ORFILA (INRS) : +33.(0)1.45.42.59.59

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

EDI2 Serious eye damage / eye irritation 2

H319 - Causes serious eye irritation.

2.2. Label elements

GHS Classification :

(RegulationCLP)



Printed :

09/10/2023

3-METHOXY-3-METHYL-1-BUTANOL

Revised : LSI_2023-1-CLP from 09/10/2023



Warning mention : Warning

EDI2 Serious eye damage / eye irritation 2

H319 - Causes serious eye irritation.

P337+P313 - If eye irritation persists: Get medical advice/attention. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P264 - Wash ... thoroughly after handling.

2.3. Other hasards

- Endocrine disruptors : No components concerned

- Contains substances that may cause allergies : 3-methoxy-3-methylbutan-1-ol

3. COMPOSITION / INFORMATION ON INGREDIENT

3.1. Substances

Identification number	Substance	Hazard classes & H-phrases	LCS / M-factors / ATE	Percentag e %
CAS# 56539-66-3	3-methoxy-3-methylbutan-1-ol	AH1, ATO4, EDI1, STO-SE3-NE H304, H302, H318, H336		[70-100]

- Endocrine disruptors : No components concerned

Risk classification according to ECHA**3-methoxy-3-methylbutan-1-ol : 100% REACH N° 01-2119976333-**(REACH) :**33-*****

3.2. Mixtures

NO CONCERNED

4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes: Take Risk and Safety phrases (section 15) into account.

Following inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Following skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Following eye contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



Printed :

3-METHOXY-3-METHYL-1-BUTANOL

Revised : LSI_2023-1-CLP from 09/10/2023

Following ingestion:

Rinse mouth with water and obtain medical advice.

Notes for the doctor:

Treat symptomatically and supportively.

09/10/2023

Treatment may vary with condition of victim and specifics of incident.

4.2. Most important symptoms and effects, both acute and delayed

No data available Please note the risk and safety phrases

4.3. Indication of any immediate medical attention and special treatment needed

No data available Please note the risk and safety phrases

5. FIRE FIGHTING

5.1. Extinguishing media

Suitable extinguishing media

Depending on the type of product:

- CO2, dry powder or foam extinguishers

- Water spray or fog to cool the package (if necessary)

<u>Unsuitable extinguishing media</u> : Direct water jet

5.2. Special hazards arising from the substance or mixture

 Flammability :
 The product is not flammable..

 Prévention:
 Do not smoke. Do not use flame near.

 In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO2). Exposure to decomposition products may cause health hazards. Do not breathe fumes.

5.3. Advice for firefighters

Never use a direct water jet. Workers should be equipped with suitable protective equipment (respiratory and protective suit). High temperatures can cause high pressures inside closed packages.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Wear gloves (if possible made of natural rubber) when handling leaks to avoid contact with the skin, body cleansing should be observed in case of contact.

- Avoid breathing vapours.

- Follow normal hygiene rules in case of accidental spillage.

- Ensure adequate ventilation of the workplace after spillage.

Refer to protective measures listed under headings 7 and 8.



Printed :

09/10/2023 3-N

3-METHOXY-3-METHYL-1-BUTANOL

Revised : LSI_2023-1-CLP from 09/10/2023

6.2. Environmental precautions

Prevent contamination of soil and water, runoff into sewers, gutters, rivers. Notify the authorities if the product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods of cleaning up:

- Large spills should be contained with sand or diatomaceous earth, pumped and rinsed with water after recovery of the waste in specific labelled plastic drums to be handed over to an approved recovery company.

- Clean the area carefully to eliminate any residual pollution

- Any sorbent used to mop up leaks must be destroyed quickly, according to local regulations, preferably by incineration; cases of spontaneous combustion of cloths soaked in perfumes or aromas are well known. Spills must be contained by appropriate means and the associated waste treated in accordance with the regulations in force.

6.4. Reference to other sections

See sections 8 and 13 of this safety data sheet where applicable.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

- Wear suitable PPE: gloves (preferably natural rubber) and eye/face protection.

- Handle in well-ventilated areas, ventilated if necessary, at the lowest possible temperature, avoiding dust accumulation.

- Do not smoke. Do not expose to flames or other potential sources of ignition (electrical equipment)
- Observe safety and hygiene standards
- Close the packaging after use.
- Reproduce the labelling if transferring to another container.
- Prevent access by unauthorised persons

7.2. Conditions for safe storage, including any incompatibilities

- Store products in their original containers, preferably full and tightly capped, in a cool, dry place. Do not reuse empty containers.

- Keep away from air and light.

- Avoid unnecessary exposure.

- Keep away from food and drink.

7.3. Specific end use(s)

Wash hands and other exposed areas with mild soap and water before eating, drinking, smoking and before leaving work.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Components with Occupational Exposure Limits (OELs) :



Material Safety	Data Sheet
-----------------	------------

Printed :

09/10/2023 3-METHOXY-3-METHYL-1-BUTANOL

Revised : LSI_2023-1-CLP from 09/10/2023

No data available

8.2. Exposure controls

Technical measures: Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drink.

Personal protective equipment:

Do not eat, drink or smoke during use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

FORMULA :	C6 H14 O2
MOLECULAR WEIGHT :	118.17 g/mol
SHELF LIFE :	24 months in below conditions, after this time it can be used after control.
Storage conditions :	Keep in tightly closed container in a cool and dry place, protected from light.
FREEZING POINT :	ND
POINT D'INFLAMMATION :	ND
IGNITION TEMPERATURE (°C) :	395°C
EXPLOSIVE LIMITS :	[1.2% (V) ; 13.1% (V)]
BOILING POINT (°C) :	[173°C ; 175°C]
ASSAY (%GC) :	>98%
Appearance :	Liquid
Color:	Colorless to light yellow
ODOR :	Light ; of esther
Relative density (d20/20) :	[0.925 ; 0.931]
Refractive index to 20°C :	[1.425 ; 1.431]
Flash point :	68°C
OPTICAL ROTATION (°) :	ND
Solubility(ies) :	Completely miscible in water
Vapor pressure :	0.47 hPa (20°C)
Partition coef (n-octanol/water :	Log Pow = 0.18 (25°C)
FUSION POINT (capillarity) °C :	< -50°c
PH:	ND
SPECIFIC GRAVITY (25°C g/cm3) :	1



Printed :

09/10/2023 3-METHOXY-3-METHYL-1-BUTANOL

ND

Revised : LSI_2023-1-CLP from 09/10/2023

ACID VALUE (mg KOH/g) :

9.2. Other information

No data available

10. STABILITY AND REACTIVITY

10.1. Reactivity

•Dangerous reactions : No dangerous reactions known.

10.2. Chemical stability

Good stability if storage and handling standards/indications are taken into consideration.

10.3. Possibility of hazardous reactions

No dangerous reaction if storage and handling standards/indications are taken into account.

10.4. Conditions to avoid

Avoid excessive heat sources (open flame, sparks, etc.) Do not heat closed containers. Avoid contact with oxidizing agents

10.5. Incompatible materials

Data not available

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

 a) Skin corrosion/skin irritation : b) Serious eye damage/eye irritation : c) Respiratory or skin sensitisation : d) Germ cell mutagenicity : 	Refer to heading 2, if applicable Refer to heading 2, if applicable Refer to heading 2, if applicable Refer to heading 2, if applicable
e) Carcinogenicity:f) Reproductive toxicity :g) Specific target organ toxicity (STOT)	Refer to heading 2, if applicable Refer to heading 2, if applicable
 b) Specific target organ toxicity (STOT) b) Specific target organ toxicity (STOT) 	Refer to heading 2, if applicable
repeated exposure : i) Aspiration hazard :	Refer to heading 2, if applicable Refer to heading 2, if applicable

j) Acute toxicity :



	Une entreprise de Vidara		
		Material Safety Data	Sheet
Printed :	09/10/2023	3-METHOXY-3-METHYL-1-BUTANOL	Revised : LSI_2023-1-CLP from 09/10/2023
LD50 (DERN	1AL) (mg/kg) :	ND	
-	_) (mg/kg) :	4.400 g/kg	
LC50 (inhala	atoire) :	ND	
11	.2. Information on	other hazards	
Endocrine d properties fo	lisrupting properties or human health wit	The product does not contain substances ic h a concentration equal to or greater than 0.	dentified as having endocrine disrupting 1% (w/w).
11.2	.2 Others informat	ions	
CMR SUBST	ANCES :	Dont' contain CMR substances, c regulation	ategory 1A, 1B et 2 of 1272/2008 EC
12. ECC	LOGICAL INFO	RMATION	
12	.1. Toxicity		
	-	diluted or in great quantity, penetrate the gro	ound water, water or the drains.
	• •		
12	.2. Persistence ar	nd degradability	
BIODEGRAD	DABILITY :	Readily biodegradable (OCDE 30	1 D)
12	.3. Bioaccumulati	ve potential	
Data not av	vailable		
10	4 Mahility in acil		
	2.4. Mobility in soil		
Datat not a	ivaliable		
12	.5. Results of PB	and vPvB assessment	
Data not av	vailable		
	.6. Endocrine disr		
		ubstances identified as having endocrine dis ater than 0.1% (w/w).	srupting properties for the environment with
12	.7. Other adverse	effects	
Data not av	vailable		
13. DISF	POSAL RECOM	MENDATIONS	
40	1 Monto traction	ant mathada	
	.1. Waste treatme		N
Product · R	ecommandation : F	loes not have to be evacuated with the refus	e Not to let penetrate in the sewers



Printed :

09/10/2023 3-METHOXY-

3-METHOXY-3-METHYL-1-BUTANOL

Revised : LSI_2023-1-CLP from 09/10/2023

14. TRANSPORT INFORMATION

14.1. UN number

ADR/ADN/RID : NOT REGULATED IMDG:NOT REGULATED IATA :NOT REGULATED

14.2. UN proper shipping name

ADR/ADN/RID : NOT REGULATED IMDG:NOT REGULATED IATA :NOT REGULATED

14.3. Transport hazard class(es)

ADR/ADN/RID : NOT REGULATED IMDG:NOT REGULATED IATA :NOT REGULATED

14.4. Packing group

ADR/ADN/RID : NOT REGULATED IMDG:NOT REGULATED IATA :NOT REGULATED

14.5. Environmental hazards

IMDG : NOT REGULATED

14.6. Special precautions for user

NO CONCERNED

14.7. Maritime transport in bulk according to IMO instruments

NO CONCERNED

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Valeur ICPE :

0

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. OTHER INFORMATION

Full H sentenses text in point 3 :

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.



Printed :

3-METHOXY-3-METHYL-1-BUTANOL

Revised : LSI_2023-1-CLP from 09/10/2023

H336

May cause drowsiness or dizziness

Acronyms used:

C.A.S: Chemical Abstract Service

09/10/2023

TSCA: Toxic Substances Control Act EINECS: European inventory of existing Commercial Chemical Substances

GHS Global Harmonized System

CLP: Classification and Labelling and Packaging of substances and mixtures

ADR: Agreement Dangerous goods by Road

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

The information contained in this sheet is based on our knowledge of the product concerned at the time of issue. The information given in this safety data sheet is in accordance with Regulation 1907/2006/EC of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) establishing a European Chemicals Agency, (amended by Regulation 2015/830, 2020/878 (Annex II of REACH), amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94, as well as Council Directive 76/769/EEC, and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 200/21/EC and according to Regulation 453/2010/EC of 20 May 2010.

Users' attention is also drawn to the possible risks involved when a product is used for a purpose other than that for which it was designed.

The information provided is based on the current state of our knowledge, but does not constitute a guarantee of the product's properties and does not give rise to a contractual legal relationship.

REVISION DATE :

27/09/2023