

Printed: 29/06/2021 Revised: 001NEW21-1-CLP from 29/06/2021

PRUCHE ESS OIL ORGANIC

PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

PRUCHE ESS OIL ORGANIC

C.A.S Number : 90045-63-9;;

C.A.S EINECS Number

C.A.S (TSCA) : 8008-80-8 EINECS Number : 289-926-6

EC Number

REACH Registration n° : Exempted (imported <1T/year)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated aromatic raw material.

Not intended for personal use in this form or concentration.

For industrial use only, not for retail sale.

USE: Perfuming substance; flavouring substance (according to batches)

1.3. Details of the supplier of the safety data sheet

Company: SAS DIFFUSIONS AROMATIQUES

558 allée des parfums, Z.A. de la Festre Sud

Route de Grasse

06530 SAINT CÉZAIRE/SIAGNE Tel:+33 (0)4 93 60 82 82 Fax :+33 (0)4 93 60 82 79

Web: www.diffusions-aromatiques.fr Email:contact@diffusions-aromatiques.fr

1.4. Emergency telephone number

Emergency telephone number 24h/24 - 7d/7: ORFILA (INRS): +33.(0)1.45.42.59.59

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification:

(RegulationCLP)

AH1 Aspiration hazard 1

EDI1 Serious eye damage / eye irritation 1

EHA1 Hazardous to the aquatic environment, acute hazard 1
EHC1 Hazardous to the aquatic environment, long-term hazard 1

FL3 Flammable Liquids 3 SCI2 Skin corrosion / irritation 2 SS1 Sensitisation skin 1

H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.



Printed: 29/06/2021 PRUCHE ESS OIL ORGANIC Revised: 001NEW21-1-CLP from 29/06/2021

BIO - Produit de l'agriculture biologique certifié par FR-BIO-01

2.2. Label elements

Classification:

(RegulationCLP)











Warning mention: Danger

AH1 Aspiration hazard 1

EDI1 Serious eye damage / eye irritation 1

EHA1 Hazardous to the aquatic environment, acute hazard 1
EHC1 Hazardous to the aquatic environment, long-term hazard 1

FL3 Flammable Liquids 3 SCI2 Skin corrosion / irritation 2

SS1 Sensitisation skin 1

H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

P264 - Wash ... thoroughly after handling.

P273 - Avoid release to the environment.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting.

BIO - Produit de l'agriculture biologique certifié par FR-BIO-01

2.3. Other hazards

Contains alpha-Pinene, Camphene, Limonene, Borneol, Beta pinene, Myrcene, Beta-phellandrene, Caryophyllene beta, Alpha-phellandrene

No information available.

3. COMPOSITION / INFORMATION ON INGREDIENT

3.1. Components

Material	C.A.S	EINECS	Risk Symbol	Percent %
alpha-Pinene	80-56-8	201-291-9	AH1, ATO4, EHA1, EHC1, FL3, SCI2, SS1B - H226, H302, H304, H315, H317, H400, H410	[20-30]
Camphene	79-92-5	201-234-8	EDI2, EHC1 - H319, H410	[10-20]



Material security data sheet

[1-5]

[0.1-1]

Printed :	29/06/2021	PRUCHE ESS OIL	ORGANIC	Revised : 001NEW21-1-CLP from 29/06/2021	
Limonene (RE 01-2119493353		5989-27-5	227-813-5	AH1, EHA1, EHC2, FL3, SCI2, SS1B - H226, H304, H315, H317, H400, H411, H412	[5-10]
Beta pinene		127-91-3		AH1, EHA1, EHC1, FL3, SCI2, SS1B - H226, H304, H315, H317, H400, H410	[1-5]
Borneol		507-70-0	208-080-0	ATI4, EDI1, FS2, SCI2, STO-SE2 - H228, H315, H318, H332, H371	[1-5]
Myrcene		123-35-3	204-622-5	AH1, EDI2, EHA1, EHC2, FL3, SCI2 - H226, H304, H315, H319, H400, H411	[1-5]
Beta-phellandre	ene	555-10-2	209-081-9	AH1, FL3 - H226, H304	[1-5]
Alpha-phelland	rene	99-83-2	202-792-5	AH1, EHC1, FL3, SS1B - H226, H304, H317, H410	[1-5]

201-746-1 AH1, EHC4, SS1B - H304, H317, H413

201-134-4 EDI2, SCI2, SS1B - H315, H317, H319

3.2. Description

BOTANICAL NAME: Tsuga canadensis (L)

FIRST AID MEASURES

4.1. Description of first aid measures

General notes: Take Risk and Safety phrases (section 15) into account.

Following inhalation:

Caryophyllene beta

Linalool

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Following skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Following eye contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

87-44-5

78-70-6

Following ingestion:

Rinse mouth with water and obtain medical advice.

Notes for the doctor:

Treat symptomatically and supportively.

Treatment may vary with condition of victim and specifics of incident.

4.2. Most important symptoms and effects, both acute and delayed

It presents no significant acute and delayed symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Attending physician should treat exposed patients symptomatically

Contact with skin: wash immediately and abundantly with water and soap Rinse then with clear water.

Contact with eyes: Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum.In case of disorder, consult an ophtalmologist.

In the event of swallowed: Not make vomit, maintain the patient at rest. Resort to the medical care.

Soiled clothing: withdraw soiled clothing and re-use them only after decontamination.

Persons with pre-existing skin, eye, or respiratory disease may be at increased risk from the irritant or allergic properties of this material.



Printed: 29/06/2021 PRUCHE FSS OIL ORGANIC Revised: 001NEW21-1-CLP from 29/06/2021

FIRE FIGHTING

5.1. Extinguishing media

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Flammability: The product is flammable..

Prévention: Do not smoke. Do not use flame near.

5.3. Advice for firefighters

Never use a direct stream of water.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use individual protective equipment (waterproof boots, suitable protective clothing, and safety glasses). Prevent any contact with hot surfaces. Do not approach facing the wind. Ensure adequate ventilation. Do not breathe vapour/spray.

6.2. Environmental precautions

Do not allow to enter sewers/ surface or ground water.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

See Section 7 for information on safe handling. See section 8 for information on personal protection equipment. See Section 13 for information on disposal

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion: Keep away from ignition sources and naked flame. Close packing after use. Reproduce labelling if transfer in another container.

7.2. Conditions for safe storage, including any incompatibilities



Printed: 29/06/2021 PRUCHE ESS OIL ORGANIC Revised: 001NEW21-1-CLP from 29/06/2021

- -Avoid any useless exposure. Keep aways from food and drinks.
- -Preserve only in the container of origin in a fresh place and broken down well. Keep the containers closed out of their use.
- -Do not leave it near heat source, direct rays of the sun

7.3. Specific end use(s)

Not available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

NO CONCERNED

8.2. Exposure controls

General protective and hygienic measures: Avoid skin and eyes contact. Keep away from foodstuffs, beverages and feed.Wash hands before breaks and at the end of work.

Personal Protection:

- Hand protection: Wear gloves.
- Eye protection: Wear glasses.
- Respiratory protection : Wear a mask.
- -Ingestion: Do not use, dreak and smoke during use.

Eye and face protection: Use tight-fitting goggles, face shield or safety glasses with side shields if eve contact might occur.

Skin protection: Wear appropriates dust resistant clothing. Avoid skin contact. Use chemically resistant gloves.

Protective gloves: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Respiratory protection: See local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured.

Thermal hazards: Not available.

Environmental exposure controls:Prevent from entering sewers, basements and workpants, or any place where its accumulation can be dangerous.

Consumer exposure controls:Avoid breathing directly on the product. Apply local ventilations when appropriate. Wash hands with soap and water after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Shelf life: 24 months in below conditions, after this time it can be used after

control.

FREEZING POINT:

POINT D'INFLAMMATION:

IGNITION TEMPERATURE (°C):

EXPLOSIVE LIMITS:

Appearance:

Liqu

Color: Colorless to pale-yellow

ODOR : Characteristic



Printed: 29/06/2021 PRUCHE FSS OIL ORGANIC Revised: 001NEW21-1-CLP from 29/06/2021

Relative density (d20/20): [0.900; 0.920]

Refractive index to 20°C: [1.450; 1.480]

OPTICAL ROTATION (°): [-30°; +5°]

Flash point: 42

Solubility(ies): Insoluble in water, soluble in ethanol

Vapor pressure : ND

Partition coef (n-octanol/water : ND

FUSION POINT (capillarity) °C : ND

BOILING POINT (°C) : ND

PH : ND

9.2. Other information

NO CONCERNED

10. STABILITY AND REACTIVITY

10.1. Reactivity

·Dangerous reactions: No dangerous reactions known.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Avoid contact with strong acids, alkali or oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided:Avoid contact with any flame or spark, flame, Overheat.Avoid Direct rays of the sun. No decomposition if used according to specifications.

Dangerous decomposition products: Carbon monoxide and unidentified organic compounds may be formed during combustion.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

<u>Toxicological Informations Acute:</u>

DL50 (dermal/ rat) mg/kg: ND



Printed: 29/06/2021 PRUCHE FSS OIL ORGANIC Revised: 001NEW21-1-CLP from 29/06/2021

LD50 ORAL/RAT (mg/kg): ND

PRESENCE of CMR: May naturally (technically unavoidable) contain: Toluène <0.03%;

gamma terpinène <0.4%; para-cymène <1%

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

BIODEGRADABILITY: ND

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

NO CONCERNED

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Product : Recommandation : Does not have to be evacuated with the refuse . Not to let penetrate in the sewers. **Not cleaned packing :** Recommandation : Evacuation in accordance with the regulations.

14. TRANSPORT INFORMATION

:



:



IATA:





Printed: 29/06/2021 PRUCHE FSS OIL ORGANIC Revised: 001NEW21-1-CLP from 29/06/2021

14.1. UN number

: 1272 ((D/E)) :1272 IATA :1272

UN N°: **1272 (pine oil)**

14.2. Transport hazard class(es) and Packing group

RID/ADR (Road): 3 III subsidiary risk HAZARDOUS TO ENVIRONMENT

IATA (Air): 3 III

IMDG (Sea): 3 III subsidiary risk HAZARDOUS TO ENVIRONMENT - Marine pollutant

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany): WGK

15.2. Chemical safety assessment

Contains Limonene, Pin-2(3)-ène! : Can cause allergic reaction.

16. OTHER INFORMATION

Full H sentenses text in point 3:

H226	Flammable liquid and vapour.
TZZO	FIAITHTADIE HOUIG AND VADOUL.

H228 Flammable solid. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H371 May cause damage to organs <or state all organs affected, if known> <state route of exposure if

it

is conclusively proven that no other routes of exposure cause the hazard>.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

may sadds long lasting harmar shoots to aquat

Material security data sheet according to 2001/58/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

REVISION DATE : 24/06/2021