



SASU DIFFUSIONS AROMATIQUES

Edité le : 23/11/2023 par AG

558 allée des Parfums

Parc d'activités "Les Hauts de Grasse"

06530 SAINT-CEZAIRE-SUR-SIAGNE

Tel : +33 (0)4 93 60 82 82 Fax : +33 (0)4 93 60 82 79

Site : www.diffusions-aromatiques.fr Mail : contact@diffusions-aromatiques.fr

Technical Data Sheet

LEMON ITALY FOLDED 10X

Manufacture SASU DIFFUSIONS AROMATIQUES

Reference : LEMON ITALY FOLDED 10X

Description

<i>INCI NAME :</i>	CITRUS LIMON PEEL OIL
<i>BOTANICAL NAME :</i>	Citrus limon (L.) Burm F.
<i>MODE OF OBTAINING :</i>	Concentration by distillation of the Lemon Oil
<i>GRADE :</i>	100% Natural
<i>PRODUCT ORIGIN :</i>	On request, according to each batch

ANALYTIC DATA

<i>OPTICAL ROTATION (°) :</i>	[+30 ; +55]
<i>ODOR :</i>	Characteristic ; fresh
<i>Appearance :</i>	Liquid
<i>Color :</i>	Dark yellow to light brown
<i>Refractive index to 20°C :</i>	[1.470 ; 1.485]
<i>Relative density (d_{20/20}) :</i>	[0.850 ; 0.890]
<i>Flash point :</i>	50°C
<i>Solubility(ies) :</i>	Insoluble in water, soluble in ethanol
<i>OPTICAL ROTATION (°) :</i>	[30° ; 55°]
<i>PEROXIDE INDEX :</i>	On request
<i>ASSAY (%GC) :</i>	ND

REGULATORY DATA

<i>FOOD GRADE :</i>	According to batches, on request
<i>ETHICAL INFORMATION :</i>	KOSHER / HALAL (according to batches ; on request)
<i>FUROCUMARINS CONTENT :</i>	Sum : ~0.2% (bergapten ~0.05% ; oxypeucedianin ~0.025% ; bergamottin ~0.17%)
<i>VOC RATE :</i>	<56%
<i>TERPENOIDES :</i>	Does not contains Camphor, Eucalyptol, Menthol
<i>ADDITIVES :</i>	/
<i>RESIDUAL SOLVENTS :</i>	/
<i>ANTIOXIDANTS :</i>	/
<i>SOLVENTS (%) :</i>	/
<i>PRESERVATIVE :</i>	/
<i>% renewable carbon :</i>	100%

Specification Data

SHELF LIFE : 12 months in below conditions, after this time it can be used after control.

LEMON ITALY FOLDED 10X

Storage conditions : UNDER NITROGEN. IN COLD ROOM. Store in perfectly airtight original packaging. After opening, check quickly.

REVISION DATE : 22/11/2023

LEGISLATION :

TARIF DOUANIER / HS CODE : 3301 1310

REACH registration : 01-2119495512-35-****

FEMA : 2625

EINECS : 284-515-8

CAS EINECS : 84929-31-7

C.A.S : 8008-56-8