



## SASU DIFFUSIONS AROMATIQUES

Edité le : 06/06/2024 par MCL

558 allée des Parfums

Parc d'activités "Les Hauts de Grasse"

06530 SAINT-CEZAIRE-SUR-SIAGNE

Tel : +33 (0)4 93 60 82 82 Fax : +33 (0)4 93 60 82 79

Site : [www.diffusions-aromatiques.fr](http://www.diffusions-aromatiques.fr) Mail : [contact@diffusions-aromatiques.fr](mailto:contact@diffusions-aromatiques.fr)

### Technical Data Sheet

## MINT TERPENES

Manufacture SASU DIFFUSIONS AROMATIQUES

Reference : MINT TERPENES

### Description

GRADE :	100% Pure and natural
PRODUCT ORIGIN :	On request, according to each batch
BOTANICAL NAME :	Mentha arvensis L.
MODE OF OBTAINING :	Fractionation of the essential oil of mentha arvensis or piperita, itself obtained by steam distillation of the aerial parts
INCI NAME :	MENTHA ARVENSIS EXTRACT

### ANALYTIC DATA

Appearance :	Liquid
Color :	Colorless to pale-yellow
Flash point :	45°C
Relative density (d <sub>20/20</sub> ) :	[0.840 ; 0.899]
Refractive index to 20°C :	[1.445 ; 1.480]
ODOR :	Mentholated, fresh, terpenic
Solubility(ies) :	Insoluble in water, soluble in ethanol
PEROXIDE INDEX ( mmol/O <sub>2</sub> ) :	On request - if applicable
ASSAY (%GC) :	SUM OF ISOMER : Min 95%
OPTICAL ROTATION (°) :	[-65 ; +10]
ACID VALUE (mg KOH/g) :	ND
SPECIFIC GRAVITY (25°C g/cm <sup>3</sup> ) :	ND

### REGULATORY DATA

ANTIOXIDANTS :	/
RESIDUAL EXTRACTION SOLVENT :	/
ADDITIVES :	/
TERPENOIDES :	May contain: Eucalyptol <5% ; Menthol <1.5% ; camphre <0.001%
SOLVENTS (%) :	/
FOOD GRADE :	YES
ETHICAL INFORMATION :	KOSHER / HALAL (according to batches ; on request)
PRESERVATIVE :	/
% renewable carbon :	ND

### Specification Data

SHELF LIFE : 24 months in below conditions, after this time it can be used after control.

# MINT TERPENES

*Storage conditions :* Store the products in tightly closed cans in a cool, dry place, away from light.

*REVISION DATE :* 05/06/2024

## **LEGISLATION :**

CAS EINECS : 90063-97-1

FEMA : 4219

REACH registration : Exempted (Low tonnage exemption <1T /year)

TARIF DOUANIER / HS CODE : 33019010

EINECS : 290-058-5

C.A.S : 68608-35-5