



SASU DIFFUSIONS AROMATIQUES

Edité le : 21/11/2024 par MCL

558 allée des Parfums

Parc d'activités "Les Hauts de Grasse"

06530 SAINT-CEZAIRE-SUR-SIAGNE

Tel : +33 (0)4 93 60 82 82 Fax : +33 (0)4 93 60 82 79

Site : www.diffusions-aromatiques.fr Mail : contact@diffusions-aromatiques.fr

Technical Data Sheet

ORANGE BITTER TUNISIA OIL

Manufacture SASU DIFFUSIONS AROMATIQUES

Reference : ORANGE BITTER TUNISIA OIL

Description

BOTANICAL NAME : citrus aurantium L.
INCI NAME : CITRUS AURANTIUM PEEL OIL EXPRESSED
MODE OF OBTAINING : Cold pressure of the bark
GRADE : 100% Pure and natural
PRODUCT ORIGIN : Tunisie

ANALYTIC DATA

Color : Greenish-brown to dark green
ODOR : Fruity, pleasant
Appearance : Liquid
Relative density (d_{20/20}) : [0.840 ; 0.860]
Refractive index to 20°C : [1.472 ; 1.476]
Flash point : 47°C
Solubility(ies) : Insoluble in water, soluble in ethanol
OPTICAL ROTATION (°) : [+88 ; +98]
PEROXIDE INDEX (mmol/O₂) : On request - if applicable
SPECIFIC GRAVITY (25°C g/cm³) : ND
MELTING POINT (capillarity) °C : ND

REGULATORY DATA

FUROCOUMARINS CONTENT : 0.04% of bergaptens ; 0.01% of Psoralen ; 0.1% of Epoxy-Bergamottin ; 0.0005% of Bergamottin
ETHICAL INFORMATION : KOSHER / HALAL (according to batches ; on request)
VOC RATE : 97%
FOOD GRADE : Yes, according to batches (on request)
TERPENOIDES : Does not contains Camphor, Eucalyptol, Menthol
RESIDUAL EXTRACTION SOLVENT : /
SOLVENTS (%) : /
ANTIOXIDANTS : /
ADDITIVES : /
PRESERVATIVE : /
% renewable carbon : /

Specification Data

ORANGE BITTER TUNISIA OIL

Storage conditions : UNDER NITROGEN. IN COLD ROOM. Store in perfectly airtight original packaging. After opening, check quickly.

SHELF LIFE : 12 months in below conditions, after this time it can be used after control.

REVISION DATE : 20/11/2024

HEAVY METALS : As<3mg/kg; Pb<10mg/kg; Cd<1mg/kg; Hg<1mg/kg selon la Directive 88/388/CEE.

LEGISLATION :

FDA : 182.20
EINECS : 277-143-2
TARIF DOUANIER / HS CODE : 33011210
COE : 136n
REACH registration : Low tonnage exemption <1T/year
FEMA : 2823
CAS EINECS : 72968-50-4
C.A.S : 68916-04-1